

RECOMMENDED OF YSS PD FORK VALVE, OIL VISCOSITY and LEVEL

(US-1=5W US-2 =10w US-3=15w US-4=20w US-5=30w)

BRAND	MODEL	YEAR	YSS PD FORK NO.	OIL (SAE)	OIL LEVEL	OD.
BMW	R100 R	92-95	310	15w	150	41C
BMW	38MM Marzocchi	85	290	15w		38.4C
BMW	K75 all	92-95	310	15w	120	41C
BMW	K75 S	91	360	15w	200	41.7C
HARLEY	FXD (no FXDWG)	91-98	290	30w	180	39C
HARLEY	FXR (W/39MM fxs)	87-94	238	30w		35C
HARLEY	FXRP	85	238	20w	200	35C
HARLEY	FXRS SP	85	238	20w		35C
HARLEY	FXST	84-98	310	20w	180	41.3C
HARLEY	FXWG	80-86	310	20w	180	41.3C
HARLEY	XL 883 Hugger	89-98	290	30w	180	39C
HARLEY	XL Sportster	88-98	290	30w	180	39C
HARLEY	V-Rod		425	15w	120	
HARLEY	Street Rod		425	15w	120	
HARLEY	Night Rod		425	15w	120	
HONDA	GL 1500	95-98	335	10w	130	41C
HONDA	GL 1500	88-94	335	10w	130	41C
HONDA	GL 1200	86-87	335	10w	130	41C
HONDA	GL 1200	84-85	335	10w	130	41C
HONDA	CBX 1100	81-82	290	10w	150	39C
HONDA	ST 1100	91-98	310	10w	130	41C
HONDA	ST 1100 ABS 2	96-98	335	15w		43C
HONDA	ST 1100 ABS	92-95	310	10w	130	41C
HONDA	VT 1100 ACE	95-98	335	15w	180	41C
HONDA	VT 1100 C Shadow	88-95	335	15w		41C
HONDA	VT 1100 C Spirit	97-98	335	15w		41C
HONDA	VT 1100 ACE Tour	98	335	15w		41C
HONDA	CBR 1000 F	87-88	335	15w	130	41C
HONDA	VFR 1000	85-86	335	15w		41C
HONDA	PC 800	89-90	335	10w	160	41C
HONDA	VFR 750 F	86	290	10w	140	37C
HONDA	VFR 700	86-87	290	20w	140	37C
HONDA	CB 750 F	80	265	15w	220	37C
HONDA	CB 700 SC Nthawk	84-86	335	10w	180	39C
HONDA	NT 650 Hawk GT	88-91	335	10w	165	41C
HONDA	CBR 600 F2	91-93	290	10w	118	41C
HONDA	CBR 600 F	87-90	290	20w	130	37C
HONDA	CB 550	72	238	15w	130	35C
HONDA	FT 500 Ascot	82-83	238	20w	180	37C
HONDA	VF 500 Interceptor	83-86	238	20w	185	37C
HONDA	VT 500 FT Ascot	83-84	290	15w	190	37C
HONDA	CB 400 F CB1	89-90	335	15w		41C
HONDA	CB 400 SF	94	335	15w	125	41C

RECOMMENDED OF YSS PD FORK VALVE, OIL VISCOSITY and LEVEL

(US-1=5W US-2 =10w US-3=15w US-4=20w US-5=30w)

BRAND	MODEL	YEAR	YSS PD FORK NO.	OIL (SAE)	OIL LEVEL	OD.
HONDA	CBR 400RR	92	335	15w	110	41C
HONDA	NSR 250	96	335	15w	135	41C
HONDA	NSR 250	86	335	10w		41C
HONDA	VTR 250	90	265	15w	160	35C
KAWASAKI	VN 1500 A Vulcan	92-98	310	15w		41C
KAWASAKI	VN 1500 A Vulcan	87-91	310	15w		41C
KAWASAKI	VN 1500 L C3-C4	96-97	310	15w		41C
KAWASAKI	VN 1500 D Classic	96-98	310	10w	160	41C
KAWASAKI	ZG 1200 Voyager	88-98	310	15w	135	41C
KAWASAKI	ZG 1200 Voyager	87	310	15w		41C
KAWASAKI	GPZ 1100 ABS F1	96	335	15w		41C
KAWASAKI	GPZ 1100 E1-E2	95-96	335	15w		41C
KAWASAKI	ZG 1000 Concours	94-98	310	15w		41C
KAWASAKI	ZG 1000 Concours	86-93	310	15w	190	41C
KAWASAKI	ZX 11 D1-D6	94-98	360	10w	160	43C
KAWASAKI	ZX 11 C1-C4	90-93	360	15w	160	43C
KAWASAKI	ZX 1000 B1-B3	88-90	335	10w	170	41C
KAWASAKI	ZX 1000 A1-A2	86-87	310	10w	140	40C
KAWASAKI	ZX 900	84-86	290	10w	160	38C
KAWASAKI	VN 800 A Vulcan	95-98	310	10w	160	41C
KAWASAKI	VN 800 B Vulcan	96-98	310	10w	160	41C
KAWASAKI	VN 750 A Vulcan	86-98	290	15w		38C
KAWASAKI	ZR 750 Zephy	91-93	335	10w		41C
KAWASAKI	ZX 750 F1-F4	87-90	310	10w	175	38C
KAWASAKI	ZX 750 E Turbo	84-85	265	15w	180	37C
KAWASAKI	ZX 750 A GPZ	83-85	265	20w	140	37C
KAWASAKI	ZX6 E2-E6	94-98	335	15w	100	41C
KAWASAKI	ZX6 E1	93	335	15w	100	41C
KAWASAKI	ZX6 D1-D4	90-93	335	10w	100	41C
KAWASAKI	ZX 600 A1-A3	85-87	290	10w		36C
KAWASAKI	GPZ 550 ZR	91	265	15w		36C
KAWASAKI	KZ 550 H1-H2 GPZ	82-83	265	15w		35C
KAWASAKI	ZX 550 A1-A3 GPZ	84-86	265	15w		35C
KAWASAKI	EN 500 C1-C3 Vul LTD	96-98	335	15w		41C
KAWASAKI	EX 500 D1-D6	94-98	290	10w	150	37C
KAWASAKI	EX 500 A1-A7	87-93	265	10w	160	36C
KAWASAKI	ZR 400 Zephyr	92	310	15w	110	39C
SUZUKI	VS 1400 Intruder	87-98	310	15w	235	41C
SUZUKI	GSXR1100	86-88	335	15w	130	41C
SUZUKI	GSX 1100 G	92-93	360	15w	135	43C
SUZUKI	GSX R750	86-87	335	10w	130	41C
SUZUKI	GSX 750 F Katana	98	310	15w	105	41C
SUZUKI	GSX 750 F Katana	89-97	310	15w	105	41C

RECOMMENDED OF YSS PD FORK VALVE, OIL VISCOSITY and LEVEL

(US-1=5W US-2=10w US-3=15w US-4=20w US-5=30w)

BRAND	MODEL	YEAR	YSS PD FORK NO.	OIL (SAE)	OIL LEVEL	OD.
SUZUKI	GSX 600 F Katana	88-98	335	10w	115	41C
SUZUKI	GSF 600 Bandit	96-98	335	15w	160	41C
SUZUKI	RF 600	94-96	335	10w		41C
SUZUKI	GS 500	91-98	310	15w	110	37C
SUZUKI	GS 500	89-90	310	15w	100	37C
SUZUKI	RG 500 GAMMA	85-89	310	15w	120	38C
SUZUKI	GSF 400 Bandit	91-92	335	15w	120	41C
SUZUKI	RGV 250	89-90	335	10w		41U
TRIUMPH	1200 Trophy 4	94-98	360	15w	125	43C
TRIUMPH	900 Adventurer	96-98	360	10w	140	43C
TRIUMPH	900 Sprint	94-98	360	15w	125	43C
TRIUMPH	900 Thunderbird	94-98	360	10w	140	43C
TRIUMPH	900 Tiger	95-98	360	10w	140	43C
TRIUMPH	900 Trident	95-98	360	10w	140	43C
TRIUMPH	900 Trophy 3	95-98	360	15w	125	43C
YAMAHA	XVZ 13A Royal Star	97-98	360	20w	127	43C
YAMAHA	VMX 1200	93-98	360	20w	160	43C
YAMAHA	VMX 1200	85-92	310	10w	140	40C
YAMAHA	FJ 1200	90-93	335	15w	130	41C
YAMAHA	FJ 1200	86-89	335	15w	130	41C
YAMAHA	FJ 1100	84-85	335	10w	140	41C
YAMAHA	XVZ 1300 Venture	87-91	310	15w	130	40C
YAMAHA	XVZ 1200 Venture	83-86	310	20w	160	40C
YAMAHA	XV 1100 Virago	86-98	290	10w	165	38C
YAMAHA	FZR 1000	89-90	360	20w	130	43C
YAMAHA	FZR 1000	87-88	335	15w	120	41C
YAMAHA	XV 920 Virago	81-82	265	15w		37C
YAMAHA	FZ 750	85-86	310	10w	130	40C
YAMAHA	FZR 750 R	87-88	335	10w		41C
YAMAHA	FZR 750 R	86	310	15w		39C
YAMAHA	XV 750 Virago	88-97	290	15w		38C
YAMAHA	XV 700 Virago	84-87	290	15w		38C
YAMAHA	FZ 600	86-88	290	10w		36C
YAMAHA	FZR 600	88-98	310	15w	130	38C
YAMAHA	XJ 600 Seca II	92-98	310	10w	135	38C
YAMAHA	YZF 600	95	335	30w	160	41C
YAMAHA	FZR 400	88-90	310	10w	120	38C
YAMAHA	SR 400	96	238	10w	210	35C
YAMAHA	XJR 400	96	335	15w	170	41C
YAMAHA	RZ 350	84-85	265	10w	160	35C